



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/781,880	02/20/2004	Tien-Ming Hsu	176-101	4240
23117 7590 06/04/2007 NIXON & VANDERHYE, PC 901 NORTH GLEBE ROAD, 11TH FLOOR ARLINGTON, VA 22203			EXAMINER GODBOLD, DOUGLAS	
			ART UNIT 2626	PAPER NUMBER
			MAIL DATE 06/04/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No. 10/781,880	Applicant(s) HSU, TIEN-MING	
	Examiner Douglas C. Godbold	Art Unit 2626	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 February 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date <u>20070110</u> . | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

1. This office action is in response to application 10/781,880 filed February 20, 2004. Claims 1-16 are pending in the application and have been examined.

### ***Priority***

2. The application claims priority to Taiwan application 092132768 filed November 21, 2003. This priority date has been considered in this office action.

### ***Information Disclosure Statement***

3. The Information Disclosure Statement filed January 10, 2007 has been considered in this office action.

### ***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
6. Claims 1-9, and 12-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted prior art (APA) in view of Smith et al. (US PAP 2001/0047263).
7. Consider claim 1, the APA teaches a voice interactive method comprising:
  - a) performing voice recognition upon an input voice signal to detect presence of a predetermined keyword (a confirmation procedure is required in the Talk-to-Talk mode when issuing a voice command. In the Talk-to-Talk mode, the confirmation procedure involves the presence of a keyword in the issued voice command so as to minimize occurrence of unwanted responses; spec page 3, lines 8-12.);
  - b) upon detecting that the input voice signal contains the predetermined keyword, performing semantic recognition upon the input voice signal (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7. Semantic analysis is inherent in the system of example of page 3 of talk-to-talk system.);
  - c) generating a response according to result of the semantic recognition performed in step b) (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the

Art Unit: 2626

recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7.).

But the APA does not specifically teach:

d) simultaneous with step b), calculating an idle time between a current input voice signal and a previous input voice signal; and

e) disabling the semantic recognition of the input voice signal, and repeating step a) when the idle time calculated in step d) is larger than a predetermined threshold.

In the same field of voice control systems, Smith teaches:

d) simultaneous with step b), calculating an idle time between a current input voice signal and a previous input voice signal (Figure 6, ); and e) disabling the semantic recognition of the input voice signal, and repeating step a) when the idle time calculated in step d) is larger than a predetermined threshold (Typically, the wait state of step 620 will last a predetermined amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish to enter such as a command to call a specific name, phone number or to review a directory of names (step 655). Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the timing method of Smith with the voice control system of

the APA in order to provide a mechanism to disable the semantic analysis when no response is given in order to prevent unwanted responses.

8. Consider claim 2, the APA teaches the voice interactive method as claimed in claim 1, wherein step c) includes: generating a signal corresponding to the result of the semantic recognition performed in step b), and transmitting the signal to an electronic device such that the electronic device operates in response to the signal received thereby (In the example, it is assumed that the system keyword is "Jack", and the electronic device that incorporates the voice interactive system is a multi-media playback apparatus: User: Jack, activate the CD player. System: All right, I'll activate the CD player for you; spec page 3, lines 18-24.).

9. Consider claim 3, the APA the voice interactive method as claimed in Claim 1, wherein step c) includes generating an artificial voice response corresponding to the result of the semantic recognition performed in step b) (In the example, it is assumed that the system keyword is "Jack", and the electronic device that incorporates the voice interactive system is a multi-media playback apparatus: User: Jack, activate the CD player. System: All right, I'll activate the CD player for you; spec page 3, lines 18-24.).

10. Consider claim 4, Smith teaches the voice interactive method as claimed in claim 1, wherein step c) includes generating an image that corresponds to the result of the semantic recognition performed in step b) (FIGS. 10a-10f show example screen

displays according to the present invention. FIG. 10a shows the basic screen display with the users selections to dial by name 100 or by number 200. The name list selection 300 allows the user to view the directory of names, such as the directory shown in FIG.

11. After an attention word is entered into the system, icon 300 shown in FIG. 10b is displayed on the screen to indicate to the user that the system is on and waiting for a command. Throughout processing the telephone call, icon 300 is displayed whenever it is time for user input; paragraph 0070.).

11. Consider claim 5, the APA teaches a selective voice recognition method comprising:

- a) performing voice recognition upon an input voice signal to detect presence of a predetermined keyword (a confirmation procedure is required in the Talk-to-Talk mode when issuing a voice command. In the Talk-to-Talk mode, the confirmation procedure involves the presence of a keyword in the issued voice command so as to minimize occurrence of unwanted responses; spec page 3, lines 8-12.);

- b) upon detecting that the input voice signal contains the predetermined keyword, performing semantic recognition upon the input voice signal (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7. Semantic analysis is inherent in the system of example of page 3 of talk-to-talk system.);

c) generating a response according to result of the semantic recognition performed in step b) (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7.).

But the APA does not specifically teach:

d) simultaneous with step b), calculating an idle time between a current input voice signal and a previous input voice signal; and

e) disabling the semantic recognition of the input voice signal, and repeating step a) when the idle time calculated in step d) is larger than a predetermined threshold.

In the same field of voice control systems, Smith teaches:

d) simultaneous with step b), calculating an idle time between a current input voice signal and a previous input voice signal; and e) disabling the semantic recognition of the input voice signal, and repeating step a) when the idle time calculated in step d) is larger than a predetermined threshold (Typically, the wait state of step 620 will last a predetermined amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish to enter such as a command to call a specific name, phone number or to review a directory of names (step 655). Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.).



Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the timing method of Smith with the voice control system of the APA in order to provide a mechanism to disable the semantic analysis when no response is given in order to prevent unwanted responses.

12. Consider claim 6, the APA teaches a voice interactive system (a system is inherent in the APA in order to implement features below) comprising:

a detecting module adapted for performing voice recognition upon an input voice signal to detect presence of a predetermined keyword (a confirmation procedure is required in the Talk-to-Talk mode when issuing a voice command. In the Talk-to-Talk mode, the confirmation procedure involves the presence of a keyword in the issued voice command so as to minimize occurrence of unwanted responses; spec page 3, lines 8-12.);

a semantic recognition module coupled to and controlled by said detecting module so as to switch operation from a disabled mode to an enabled mode, where said semantic recognition module performs semantic recognition upon the input voice signal, when the presence of the predetermined keyword in the input voice signal is detected by said detecting module (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7. Semantic analysis is inherent in the system of example of page 3 of talk-to-talk system.);

a response module coupled to and controlled by said semantic recognition module so as to generate a response according to result of the semantic recognition performed by said semantic recognition module (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7.).

But the APA does not specifically teach:

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold; and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the current input voice signal and the previous input voice signal is larger than the predetermined threshold.

In the same field of voice control systems, Smith teaches:

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold

Art Unit: 2626

(Typically, the wait state of step 620 will last a predetermined amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish to enter such as a command to call a specific name, phone number or to review a directory of names (step 655).

Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.)); and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the current input voice signal and the previous input voice signal is larger than the predetermined threshold Typically, the wait state of step 620 will last a predetermined amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish to enter such as a command to call a specific name, phone number or to review a directory of names (step 655). Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the timing method of Smith with the voice control system of

Art Unit: 2626

the APA in order to provide a mechanism to disable the semantic analysis when no response is given in order to prevent unwanted responses.

13. Consider claim 7, the APA teaches the voice interactive system as claimed in claim 6, wherein said response module includes an operation control module for generating a signal corresponding to the result of the semantic recognition performed by said semantic recognition module, said operation control module being adapted to transmit the signal generated thereby to an electronic device such that the electronic device operates in response to the signal (In the example, it is assumed that the system keyword is "Jack", and the electronic device that incorporates the voice interactive system is a multi-media playback apparatus: User: Jack, activate the CD player. System: All right, I'll activate the CD player for you; spec page 3, lines 18-24.).

14. Consider claim 8, the APA teaches the voice interactive system as claimed in claim 6, wherein said response module includes a voice response module for providing artificial voice response data corresponding to the result of the semantic recognition performed by said semantic recognition module (In the example, it is assumed that the system keyword is "Jack", and the electronic device that incorporates the voice interactive system is a multi-media playback apparatus: User: Jack, activate the CD player. System: All right, I'll activate the CD player for you; spec page 3, lines 18-24.).

15. Consider claim 9, Smith teaches the voice interactive system as claimed in Claim 6, wherein said response module includes an image response module for providing image data that corresponds to the result of the semantic recognition performed by said semantic recognition module (FIGS. 10a-10f show example screen displays according to the present invention. FIG. 10a shows the basic screen display with the users selections to dial by name 100 or by number 200. The name list selection 300 allows the user to view the directory of names, such as the directory shown in FIG. 11. After an attention word is entered into the system, icon 300 shown in FIG. 10b is displayed on the screen to indicate to the user that the system is on and waiting for a command. Throughout processing the telephone call, icon 300 is displayed whenever it is time for user input; paragraph 0070.).

16. Consider claim 12, the APA teaches a selective voice recognition system (a system is inherent in the APA in order to implement features below) comprising:

- a detecting module adapted for performing voice recognition upon an input voice signal to detect presence of a predetermined keyword (a confirmation procedure is required in the Talk-to-Talk mode when issuing a voice command. In the Talk-to-Talk mode, the confirmation procedure involves the presence of a keyword in the issued voice command so as to minimize occurrence of unwanted responses; spec page 3, lines 8-12.);

- a semantic recognition module coupled to and controlled by said detecting module so as to switch operation from a disabled mode to an enabled mode, where said

semantic recognition module performs semantic recognition upon the input voice signal, when the presence of the predetermined keyword in the input voice signal is detected by said detecting module (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7. Semantic analysis is inherent in the system of example of page 3 of talk-to-talk system.);

a response module coupled to and controlled by said semantic recognition module so as to generate a response according to result of the semantic recognition performed by said semantic recognition module (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7.).

But the APA does not specifically teach:

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold; and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the

current input voice signal and the previous input voice signal is larger than the predetermined threshold.

In the same field of voice control systems, Smith teaches:

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold (Typically, the wait state of step 620 will last a predetermined amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish to enter such as a command to call a specific name, phone number or to review a directory of names (step 655). Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.)); and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the current input voice signal and the previous input voice signal is larger than the predetermined threshold Typically, the wait state of step 620 will last a predetermined amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish

Art Unit: 2626

to enter such as a command to call a specific name, phone number or to review a directory of names (step 655). Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the timing method of Smith with the voice control system of the APA in order to provide a mechanism to disable the semantic analysis when no response is given in order to prevent unwanted responses.

17. Consider claim 13, the APA teaches a an electronic device (a device is inherent in the APA in order to implement features below) comprising:

a detecting module adapted for performing voice recognition upon an input voice signal to detect presence of a predetermined keyword (a confirmation procedure is required in the Talk-to-Talk mode when issuing a voice command. In the Talk-to-Talk mode, the confirmation procedure involves the presence of a keyword in the issued voice command so as to minimize occurrence of unwanted responses; spec page 3, lines 8-12.);

a semantic recognition module coupled to and controlled by said detecting module so as to switch operation from a disabled mode to an enabled mode, where said semantic recognition module performs semantic recognition upon the input voice signal, when the presence of the predetermined keyword in the input voice signal is detected



by said detecting module (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7. Semantic analysis is inherent in the system of example of page 3 of talk-to-talk system.);

a response module coupled to and controlled by said semantic recognition module so as to generate a response according to result of the semantic recognition performed by said semantic recognition module (voice recognition is performed upon an input voice signal, and a responsive command is subsequently retrieved from a database based on the recognition result, spec page 2 lines 2-5. Talk to talk operates similarly as push to talk except a keyword is used; spec page 3, lines 7.).

But the APA does not specifically teach:

a sound pickup module adapted for receiving an input voice signal (although it is practically inherent);

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold; and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the

current input voice signal and the previous input voice signal is larger than the predetermined threshold.

In the same field of voice control systems, Smith teaches:

a sound pickup module adapted for receiving an input voice signal (figure 3, microphone 3274.)

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold (Typically, the wait state of step 620 will last a predetermined amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish to enter such as a command to call a specific name, phone number or to review a directory of names (step 655). Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.)); and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the current input voice signal and the previous input voice signal is larger than the predetermined threshold Typically, the wait state of step 620 will last a predetermined

Art Unit: 2626

amount of time, such as three seconds, and if no input is received (step 650), the system will display and ask the user verbally to input what type of command they wish to enter such as a command to call a specific name, phone number or to review a directory of names (step 655). Processing then returns to the command wait step 620. However, if no command is input by the user again within the predetermined amount of time (step 650), the system will go back to step 600 and await another attention word or key; paragraph 0060.).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the timing method of Smith with the voice control system of the APA in order to provide a mechanism to disable the semantic analysis when no response is given in order to prevent unwanted responses.

18. Consider claim 14, the APA teaches the voice interactive system as claimed in claim 13, wherein said response module includes an operation control module for generating a signal corresponding to the result of the semantic recognition performed by said semantic recognition module, said operation control module being adapted to transmit the signal generated thereby to an electronic device such that the electronic device operates in response to the signal (In the example, it is assumed that the system keyword is "Jack", and the electronic device that incorporates the voice interactive system is a multi-media playback apparatus: User: Jack, activate the CD player. System: All right, I'll activate the CD player for you; spec page 3, lines 18-24.).

Art Unit: 2626

19. Consider claim 15, the APA teaches the voice interactive system as claimed in claim 13, wherein said response module includes a voice response module for providing artificial voice response data corresponding to the result of the semantic recognition performed by said semantic recognition module (In the example, it is assumed that the system keyword is "Jack", and the electronic device that incorporates the voice interactive system is a multi-media playback apparatus: User: Jack, activate the CD player. System: All right, I'll activate the CD player for you; spec page 3, lines 18-24.).

20. Consider claim 16, Smith teaches the voice interactive system as claimed in claim 13, wherein said response module includes an image response module for providing image data that corresponds to the result of the semantic recognition performed by said semantic recognition module (FIGS. 10a-10f show example screen displays according to the present invention. FIG. 10a shows the basic screen display with the users selections to dial by name 100 or by number 200. The name list selection 300 allows the user to view the directory of names, such as the directory shown in FIG. 11. After an attention word is entered into the system, icon 300 shown in FIG. 10b is displayed on the screen to indicate to the user that the system is on and waiting for a command. Throughout processing the telephone call, icon 300 is displayed whenever it is time for user input; paragraph 0070.).

21. Claims 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over the APA in view of Smith as applied to claim 6 above, and further in view of Bellegarda et al (US Patent 6,285,785).

22. Consider claim 10, APA and smith teaches the voice interactive system as claimed in claim 6, but does not specifically teach wherein said detecting module includes:

- a feature parameter retrieving unit for retrieving feature parameters of the input voice signal;

- a voice model building unit coupled to said feature parameter retrieving unit for building voice models with reference to the feature parameters retrieved by said feature parameter retrieving unit;

- a keyword voice modeling unit for storage of keyword voice models; and

- a voice model comparing unit coupled to said voice model building unit and said keyword voice modeling unit for comparing similarity among built voice models and the keyword voice models.

In the same field of speech recognition, Bellegarda teaches:

- a feature parameter retrieving unit for retrieving feature parameters of the input voice signal (With the use of a microphone and A/D converter as the speech transducer

22 the speech is typically sampled at a 20 kHz rate and is Fast Fourier transformed; column 6, line 46.);

a voice model building unit coupled to said feature parameter retrieving unit for building voice models with reference to the feature parameters retrieved by said feature parameter retrieving unit (The role of the Markov word model for speech is to represent the pronunciation of a word. The parameters of the Markov model are trained by relating the acoustic signal produced by the speaker to the word uttered; column 7, line 50.);

a keyword voice modeling unit for storage of keyword voice models (inherent if combined with APA and smith. In order to apply Markov models to the keyword, a modeling unit is inherent.); and

a voice model comparing unit coupled to said voice model building unit and said keyword voice modeling unit for comparing similarity among built voice models and the keyword voice models (For speech, the likelihood of each Markov word model producing the input utterance is computed, after pruning by the 3-gram LM 38a, and those words resulting in the highest scores are placed on the list of word candidates (L.sub.1). In both cases (speech and handwriting), the size of the list is preferably statically set using a predetermined reasonable maximum size, such as 15, or may be set dynamically using a threshold. In the latter case, all words whose likelihoods fall within the selected threshold are maintained on the list, and the other words discarded; column8, lines 48-58.).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the modeling system of Bellegarda with the voice recognition system in order to provide a robust method to enable word recognition.

Art Unit: 2626

23. Consider claim 11, Bellegarda teaches the voice interactive system as claimed in Claim 10, wherein said semantic recognition module includes a database containing a plurality of voice model samples, and a voice model comparing unit coupled to said detecting unit similarity among said database for comparing the built voice models and the voice model samples (For speech, the likelihood of each Markov word model producing the input utterance is computed, after pruning by the 3-gram LM 38a, and those words resulting in the highest scores are placed on the list of word candidates (L.sub.1). In both cases (speech and handwriting), the size of the list is preferably statically set using a predetermined reasonable maximum size, such as 15, or may be set dynamically using a threshold. In the latter case, all words whose likelihoods fall within the selected threshold are maintained on the list, and the other words discarded; column8, lines 48-58. In order to do this, a database must used in order to provide the models to prune from.).

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure is listed on the Notice of References Cited.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas C. Godbold whose telephone number is (571) 270-1451. The examiner can normally be reached on Monday-Thursday 7:00am-4:30pm Friday 7:00am-3:30pm.

Art Unit: 2626

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Edouard can be reached on (571) 272-7603. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DCG

  
PATRICK N. EDOUARD  
SUPERVISORY PATENT EXAMINER